● PRINTER RUSH ● (PTO ASSISTANCE)

Application :	10/733,50	85 Examiner: D	erris Borks	`GAU:	37/2
From:	MR	Location: (D FMF FDC	Date:	1-5-5
Tracking #: 06035799 Week Date:					
DOC COD		DOC DATE 05-03-64	Continuing Data Foreign Priority Document Legibility		
	☐ IIFW ☐ SRFW ☐ DRW ☐ OATH ☐ 312 ☐ SPEC		☐ Country Fees		
[RUSH] MESSAGE: a P10-1440 form with different serial no. clocket We and applicants rame is topological in the file. Does it belong to the file, if it belongs please initial f line through citations and correct the script No. See 105 05-03-04.					
Thork you, MR					
[XRUSH] RESPONSE: 1449 w/ different sevial number should not be part of live as stated in the Annotations w/ respect to the 1449 (see attachment)					
				INIT	IALS: 25.

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

10/733505 Examiner: SUHOL, DMITRY GAU: 3714
Inventor: GREEN , PAUL, et al Classification: 434/131.000
Status: 94 - PUBLICATIONS -- ISSUE FEE PAID - NOT MATCHED WITH FILE
Title: GLOBE STAND CONSTRUCTION

PROSECUTION tab report (36 items sorted by NONE in NO order)